





EBP ASSESSMENT PACKET

CPP Ages 18 Months to 5 Years English

	Required For	ms	
	Measure	Intake	Periodic/Discharge
1.	Demographic Information: Client Intake Face Sheet □	Х	n/a
2.	Child's Trauma History: *Trauma History Screen-* Caregiver Report □	Х	n/a
3.	Child's Trauma Symptoms: YCPC- Caregiver Report □	Х	Х
4.	Child's Behavior & Functioning: PPSC- Caregiver Report	Х	Х
5.	Caregiver Symptoms: CESD-R Caregiver Depression \square	Х	
6.	Parental Capacity: Parental Stress Scale \square	Х	MUST select at least 1
7.	Caregiver Trauma Symptoms: PCL-5 □	optional	
8.	CPP Monthly Session form □	M	ONTHLY
9.	Discharge Face Sheet □	n/a	Discharge Only

Note: The recommended ongoing assessment for CPP is an age appropriate measure of child symptoms and a measure of caregiver symptoms. We suggest the CESDR or Parental Stress Scale. Alternate or additional measures can be used based on clinical judgment of primary symptom area targeted by treatment.



Intake Facesheet



VALIDATION REQUIREMENTS AND SYMBOLS EXPLAINED

- ! This symbol means the field is one of the minimum fields that must be filled out to save the record. No data will be saved unless these fields are completed.
- * This symbol means the field is a required field in order to save the record as completed. Although you can save the record, the system does not consider the record to be completed unless ALL of these fields are completed.

Direct Service Provider User Information									
Clinician First and Last Name: !			Sub-1	Team (CBITS/BB Only):					
Provider Name: !			Site N	Name: !					
		Child	Infor	mation					
First Initial Child's First Name:			First	Initial Child's Last Name:					
Date of Birth: !			Age:						
Sex: !		Female		Intersex					
		Male		Other (specify)→					
Grade (current): *									
Race: *	_	American Indian or Alaska Native		Black or African American		White			
	П	Asian		Native Hawaiian or Other Pacific Islander		Other (specify)			
Hispanic Origin: *		Yes, Cuban		Yes, of Hispanic/Latino Origin		Yes, South or Central American			
		Yes, Mexican, Mexican American, Chicano		Yes, Puerto Rican		No, Not of Hispanic, Latino, or Spanish Origin			
City/town:			ST:		Zip: *				
		Child Ide	ntific	ation Codes					
Agency-assigned Client ID Number (not PHI): !			PSDC	RS Client ID Number:					
		Famil	y Info	rmation					
Caregiver 1 Relationship: *			Care	giver 2 Relationship:					
Preferred Language of Adult Participating in Treatment: *									
Does the adult participating in tre	atm	ent speak English?		Yes		No			
Primary Language of Child:									
Family Composition: * Select the choice that best describes the	_	Two parent family		Single parent - biological/adoptive parent		Relative/guardian			
composition of the family.		Single Parent with unrelated partner		Blended Family		Other			



Intake Facesheet



Living Situation of Child: *		College Dormitory		Job Corps		Psychiatric Hospital
What is the child's living situation?		Crisis Residence		Medical Hospital		Residential Treatment Facility
		DCF Foster Home		Mentor		TFC Foster Home (privately licensed)
		Group Home		Military Housing		Transitional Housing
		Homeless/Shelter		Other (specify):		
		Jail/Correctional Facility		Private Residence		
		System	Invo	olvement		
Child/Family involved with DCF?	*			Yes		No
If child / family is involved with	DCF, p	lease complete ALL of t	he fol	lowing questions:		
DCF Case ID: (if available)				Person Link ID: vailable)		
		Child Protective Services – In-Home		Family with Service Needs – (FWSN) In-Home		Not DCF – On Probation
DCF Status:		Child Protective Services – Out of Home		Family with Service Needs (FWSN) Out of Home		Not DCF – Other Court Involved
Der status.	0	Dual Commitment (JJ and Child Protective Services)		Juvenile Justice (delinquency) commitment	_	Termination of Parental Rights
	0	Family Assessment Response	□ Not DCF		П	Voluntary Services Program
DCF Regional Office:						
Youth involved with Juvenile Jus	stice (J	J) System? *		Yes		No
If youth is involved with JJ, pleas	se com	plete ALL of the followi	ng qu	estions:		
CSSD Client ID: (if available)			CSSE	Case ID: (if available)		
CSSD Case Type:		_		Delinquency		Family with Service Needs (Status Offense)
		Administrative Supervision	□	Juvenile probation		Restore Probation
CSSD Case Status:	0	Extended Probation		Non-Judicial FWSN Family Service Agreement		Suspended Order
coop case status.		Interim Orders	□	Non-Judicial Supervision (NJS)		Waived PDS - Probation
		Judicial FWSN Supervision		Non-Judicial Supervision Agreement		
Court District:						
Court Handling Decision:				Judicial		Non-Judicial
		Specific Trea	tmei	nt Information		
What treatment model are you	using v	with this child?*		CBITS		Bounce Back
				ARC		СРР
First Clinical Session Date: * Date of first EBP clinical session						



Intake Facesheet



		Treatmen	it In	formation		
Agency Referral Date/Request for Service: * Date child was referred to agency			_	ency Intake Date: * It is the intake date for the client at the acy?		
Referral Date: * Date referred for EBP services			•		•	
CGI*- Considering your expetime of intake? Circle only or Normal Slightly severe Mild					Among	the most severe symptoms that any child may experience
Referral Source: * Select the source of the EBP referral	П	Child Youth-Family Support Center (CYFSC)		Family Advocate		Physician
		Community Natural Support	П	Foster Parent		Police
		Congregate Care Facility		Info-Line (211)		Probation/Court
		CTBHP/Insurer		Juvenile Probation / Court		Psychiatric Hospital
		DCF		Other Community Provider Agency		School
		Detention Involved		Other Program within Agency		Self/Family
		Emergency Department		Other State Agency		
Assessment Outcome:		Assessment not completed		Not appropriate for selected EBP		No treatment needed
What was the outcome of the referral to the agency's EBP team? *		Appropriate for selected EBP	_	Not appropriate for selected EBP but needs other treatment		
EBP Intake Date: !						
		Treatment In	forn	nation: School		
During the 3 months prior to the start o	f EBP tre	eatment				
Child's school attendance: *	0	Good (few or no days missed)	0	No School Attendance: Child Too Young for School		No School Attendance: Other
		Fair (several days missed)		No School Attendance: Child Suspended/Expelled from School		
		Poor (many days missed)		No School Attendance: Child Dropped Out of School		
Suspended or expelled: *				Yes		No
IEP: *Does the child have an Individual	Educati	on Plan (special education)?	П	Yes		No
		Treatment Ir	for	mation: Legal		
During the 3 months prior to the start of	f EBP tre	eatment				
Arrested: * Has the child been arrest	ed since	e start of treatment?	П	Yes		No
Detained or incarcerated: * Has incarcerated since start of treatment?	the child	d been detained or	_	Yes		No
		Treatment Inf	orm	ation: Medical		
During the 3 months prior to the start o	f EBP tre	eatment				
Alcohol and/or drugs problems:	*		П	Yes		No
Evaluated in ER/ED for psychiate	ric issu	es: *	П	Yes		No
Certified medically complex: *			П	Yes		No

Client Initials:	4
ID:	
Date:	- 1

Trauma History Screen (THS) (Caregiver: English)

	Directions: Ask how many times each event happened, and how much it affected the child when it happened and now (the worst time).	has	thi	nany s ned?		nes	this	The worst time this happened, how much did it affect him/her?			How much docthis still affect your child?					
	"Has your child ever"	Never	Once	2-3 times	4-10 times	10+ times	Not at all	A little bit	Moderately	Ouite a bit	Extremely	Not at all	A little bit	Moderately	Quite a bit	Extremely
1	Been in or seen a very bad accident?						1	2	3	4	5	1	2	3	4	5
2	Had someone s/he know been so badly injured or sick that s/he almost died?						1	2	3	4	5	1	2	3	4	5
3	Known somebody who died?				1		1	2	3	4	5	1	2	3	4	5
4	Been so sick or hurt that you or the doctor thought s/he might die?						1	2	3	4	5	1	2	3	4	5
5	Been unexpectedly separated from someone who s/he depends on for love or security for more than a few days?						1	2	3	4	5	1	2	3	4	5
6	Had somebody close to him/her try to kill or hurt themself?						1	2	3	4	5	1	2	3	4	5
7	Been physically hurt or threatened by someone?						1	2	3	4	5	Ι	2	3	4	5
8	Been robbed or seen someone get robbed?						1	2	3	4	5	1	2	3	4	5
9	Been kidnapped by somebody?						1	2	3	4	5	1	2	3	4	5
10	Been in or seen a hurricane, earthquake, tornado, or bad fire?						1	2	3	4	5	1	2	3	4	5
11	Been attacked by a dog or other animal?						1	2	3	4	5	1	2	3	4	5
12	Seen or heard people physically fighting or threatening to hurt each other?						1	2	3	4	5	1	2	3	4	5
13	Seen or heard somebody shooting a gun, using a knife, or using another weapon?						1	2	3	4	5	1	2	3	4	5
14	Seen a family member arrested or in jail?						1	2	3	4	5	1	2	3	4	5
15	Had a time in your life when s/he did not have the right care (e.g. food, clothing, a place to live)?						1	2	3	4	5	1	2	3	4	5
16	Been forced to see or do something sexual?						1	2	3	4	5	1	2	3	4	5
17	Seen or heard someone else being forced to do something sexual?						1	2	3	4	5	1	2	3	4	5
18	Watched people using drugs (like smoking, sniffing, or using needles)?						1	2	3	4	5	1	2	3	4	5
19	Seen something else that was very scary or where s/he thought somebody might get hurt or die? Specify: Which one bothers your child the MOST right now						1	2	3	4	5	I	2	3	4	5

20. Which one bothers your child the MOST right now: #_____ How long ago did it happen:

Response Scale for THS

Quite Extremely A bit Little Moderately Bit Not at All

Client Initials:	
ID:	
Date:	

YOUNG CHILD PTSD CHECKLIST (YCPC) (Caregiver: English)

For Child under 7 years old.

Below is a list of symptoms that children can have after life-threatening events.

When you think of ALL the life-threatening traumatic events from the first page, circle the number below (0-4) that best describes how often the symptom has bothered you in the LAST 2 WEEKS.

	0	1	2	3			4	4	
	Not at all	Once a week/ Once in a while	2 to 4 times a week/ Half the time	5 or more times a w Almost always			Ever	yday	
1.	Does your chi up on his/her		nories of the trauma?	Does s/he bring it	0	1	2	3	4
2.	Does your chi be scenes that	ild re-enact the traum	a in play with dolls or uma. Or does s/he act	toys? This would it out by	0	1	2	3	4
3.	Is your child l	having more nightman	res since the trauma(s)	occurred?	0	1	2	3	4
4.	Does your chi	lld act like the trauma isn't? This is where a nt and aren't in touch	tic event is happening child is acting like the with reality. This is a	to him/her again, by are back in the	0	1	2	3	4
5.	Since the trau	ma(s) has s/he had ep	isodes when s/he seen of it but s/he was unre		0	I	2	3	4
6.	Does s/he get example, a ch car now. Or, a raining. Or, a	upset when exposed a ild who was in a car was child who was in a h child who saw domes argue. Or, a girl who was	to reminders of the every wreck might be nervous turricane might be ner stic violence might be was sexually abused m	ent(s)? For us while riding in a vous when it is nervous when	0	1	2	3	4
7.	Does your chi heart racing, s	ld get physically distr	ressed when exposed to s, short of breath, or sife examples as in #6.		0	1	2	3	4
8.	Does your chi trauma(s)? Fo	ld try to avoid conver	sations that might ren ople talk about what h		0	1	2	3	4
9.	Does your chi trauma(s)? Fo getting into a over a bridge. go in the hous	ld try to avoid things rexample, a child who ar. Or, a child who wor, a child who saw to where it occurred.	or places that remind o was in a car wreck to was in a flood might te domestic violence might, a girl who was sexuse that's where she was sexuse that was sexuse that was sexual to was	night try to avoid Il you not to drive tht be nervous to ually abused might	0	1	2	3	4
10.	Does your chi		embering the whole in						
11.			s that s/he used to like	to do since the	0	1	2	3	4
12.	Since the traus	ma(s), does your child is/her face compared	I show a restricted ran to before?	ge of positive	0	I	2	3	4

13.	Has your child lost hope for the future? For example, s/he believes will not have fun tomorrow, or will never be good at anything.					
14.	Since the trauma(s) has your child become more distant and withdrawn from family members, relatives, or friends?	0	1	2	3	4
15.	Has s/he had a hard time falling asleep or staying asleep since the trauma(s)?	0	1	2	3	4
16.	Has your child become more irritable, or had outbursts of anger, or developed extreme temper tantrums since the trauma(s)?	0	1	2	3	4
17.	Has your child had more trouble concentrating since the trauma(s)?	0	1	2	3	4
18.	Has s/he been more "on the alert" for bad things to happen? For example, does s/he look around for danger?	0	1	2	3	4
19.	Does your child startle more easily than before the trauma(s)? For example, if there's a loud noise or someone sneaks up behind him/her, does s/he jump or seem startled?	0	I	2	3	4
20.	Has your child become more physically aggressive since the trauma(s)? Like hitting, kicking, biting, or breaking things.	0	1	2	3	4
21.	Has s/he become more clingy to you since the trauma(s)?	0	1	2	3	4
22.	Did night terrors start or get worse after the trauma(s)? Night terrors are different from nightmares: in night terrors a child usually screams in their sleep, they don't wake up, and they don't remember it the next day.	0	l	2	3	4
23.	Since the trauma(s), has your child lost previously acquired skills? For example, lost toilet training? Or, lost language skills? Or, lost motor skills working snaps, buttons, or zippers?	0	I	2	3	4
24.	Since the trauma(s), has your child developed any new fears about things that don't seem related to the trauma(s)? What about going to the bathroom alone? Or, being afraid of the dark?	0	1	2	3	4
	FUNCTIONAL IMPAIRMENT Do the symptoms that you endorsed above get in the way of your child's ability to function in the following areas?					
25.	Do (symptoms) substantially "get in the way" of how s/he gets along with you, interfere in your relationship, or make you feel upset or annoyed?	0	1	2	3	4
26.	Do these (symptoms) "get in the way" of how s/he gets along with brothers or sisters, and make them feel upset or annoyed?	0	1	2	3	4
27.	Do (symptoms) "get in the way" of how s/he gets along with friends at all – at daycare, school, or in your neighborhood?	0	1	2	3	4
28.	Do these (symptoms) "get in the way" with the teacher or the class more than average?	0	1	2	3	4
29.	Do (symptoms) make it harder for you to take him/her out in public than it would be with an average child? Is it harder to go out with your child to places like the grocery store? Or to a restaurant?	0	I	2	3	4
30.	Do you think that these behaviors cause your child to feel upset?	0	1	2	3	4


[©] Michael Scheeringa, MD, MPH, 2010, Tulane University, New Orleans, LA. mscheer@tulane.edu. This form may be reproduced and used for free, but not sold, without further permission from the author.

Young Child PTSD Checklist Caregiver Response Scale

Everyday 5 or more times a week/ Almost always 2 to 4 times Half the a week/ time Once in a Once a week/ while Not at all



PPSC (Caregiver: English)



18 months, 0 days to 65 months, 31 days *V1.06, 9-1-16*

	ATRIC SYMPTOM CHECKLIST (PPSC)		
	about your child's behavior. Think about what you would expect of	other children t	the same age
and tell us how much	each statement applies to your child.		
	Not at all	Somewhat	Very Much
Does your child	Seem nervous or afraid? · · · · · · · · · · · · · · · ·	①	2
	Seem sad or unhappy? · · · · · · · · · · · · · · ·	①	2
	Get upset if things are not done in a certainway? · · · · · · · · · · · · · · · · · · ·	①	2
	Have a hard time with change? · · · · · · · · •	①	②
	Have trouble playing with other children? · · · · · · · · · · · · · · · · · · ·	①	2
	Break things on purpose? · · · · · · · · · •	①	2
	Fight with other children? · · · · · · · · · · ·	1	2
	Have trouble paying attention? · · · · · · · · · · · · · · ·	1	2
	Have a hard time calming down? · · · · · · ⊙	①	3
	Have trouble staying with one activity? • • • • • •	①	2
ls your child	Aggressive? · · · · · · · · · · · · · · · · ·	①	2
	Fidgety or unable to sit still? · · · · · · · · · · · · · · ·	①	2
	Angry? · · · · · · · · · · · · · · · · · ·	1	2
ls it hard to	Take your child out in public? · · · · · · · · · · · · · · ·	①	2
	Comfort your child? · · · · · · · · · · · · · · · · ·	1	2
	Know what your child needs? · · · · · · · · · · ·	1	3
	Keep your child on a schedule or routine? · · · · •	1	3
	Get your child to obey you? · · · · · · • • •	0	3

Floating Hospital for Children atTufts copyright © Tufts Medical Center, 2010. All rights reserved.

Response Scale for PPSC

Very Much

Somewhat

Not at all

Client-Initials:	9
ID:	
Date:	1

Center for Epidemiologic Studies Depression Scale - Revised (CESD-R) (Caregiver: English)

Below is a list of the ways you might have felt or behaved. Please check the boxes to tell me how often you have felt this		Last Week					
way in the past week or so.	Not at all or Less than I day	1 – 2 days	3 – 4 days	5 – 7 days	Nearly every day for 2 weeks		
My appetite was poor.	0	I	2	3	4		
I could not shake off the blues.	0	1	2	3	4		
I had trouble keeping my mind on what I was doing.	0	1	2	3	4		
I felt depressed.	0	1	2	3	4		
My sleep was restless.	0	1	2	3	4		
I felt sad.	0	1	2	3	4		
I could not get going.	0	1	2	3	4		
Nothing made me happy.	0	1	2	3	4		
I felt like a bad person.	0	I	2	3	4		
I lost interest in my usual activities.	0	1	2	3	4		
I slept much more than usual.	0	1	2	3	4		
I felt like I was moving too slowly.	0	1	2	3	4		
I felt fidgety.	0	1	2	3	4		
I wished I were dead.	0	1	2	3	4		
I wanted to hurt myself.	0	1	2	3	4		
I was tired all the time.	0	Ī	2	3	4		
I did not like myself.	0	1	2	3	4		
I lost a lot of weight without trying to.	0	1	2	3	4		
I had a lot of trouble getting to sleep.	0	1	2	3	4		
I could not focus on the important things.	0	1	2	3	4		

REFERENCE: Eaton, W. W., Smith, C., Ybarra, M., Muntaner, C., Tien, A. (2004). Center for Epidemiologic Studies Depression Scale: review and revision (CESD and CESD-R). In ME Maruish (Ed.). *The Use of Psychological Testing for Treatment Planning and Outcomes Assessment* (3rd Ed.), Volume 3: Instruments for Adults, pp. 363-377. Mahwah, NJ: Lawrence Erlbaum.

Response Scale for Caregiver Depression

for 2 weeks every day Nearly Last week Last week Last week 5-7 days 1-2 days 3-4 days less than 1 day Last week Not at all or

Client Initials:	Client ID:	Date of Completion: / /

Parental Stress Scale (Caregiver: English)

The following statements describe feelings and perceptions about the experience of being a parent. Think of each of the items in terms of how your relationship with your child or children typically is. Please indicate the degree to which you agree or disagree with the following items by placing the appropriate number in the space provided.

1 = Strongly disagree	2 = Disagree	3 = Undecided	4 = Agree	5 = Strongly agree
1 – Subligly disagree	2 - Disagree	5 - Offacciaca	T - Agicc	J – Buoligly agree

Rating		
	1.	I am happy in my role as a parent.
	2.	There is little or nothing I wouldn't do for my child(ren) if it was necessary.
	3.	Caring for my child(ren) sometimes takes more time and energy than I have to give.
	4.	I sometimes worry whether I am doing enough for my child(ren).
	5.	I feel close to my child(ren).
	6.	I enjoy spending time with my child(ren).
	7.	My child(ren) is an important source of affection for me.
	8.	Having child(ren) gives me a more certain and optimistic view for the future.
	9.	The major source of stress in my life is my child(ren).
	10.	Having child(ren) leaves little time and flexibility in my life.
	11.	Having child(ren) has been a financial burden.
	12.	It is difficult to balance different responsibilities because of my child(ren).
	13.	The behavior of my child(ren) is often embarrassing or stressful to me.
	14.	If I had it to do over again, I might decide not to have child(ren).
	15.	I feel overwhelmed by the responsibility of being a parent.
	16.	Having child(ren) has meant having too few choices and too little control over my life.
	17.	I am satisfied as a parent.
	18.	I find my child(ren) enjoyable.

Scoring

To compute the parental stress score, items 1, 2, 5, 6, 7, 8, 17, and 18 should be reverse scored as follows: (1=5)(2=4)(3=3)(4=2)(5=1). The item scores are then summed.

Reference: Berry, J. O., & Jones, W. H. (1995). The Parental Stress Scale: Initial psychometric evidence. Journal of Social and Personal Relationships, 12, 463-472

Response Scale for Parent Stress

1 2 3 4 5 Strongly Disagree Undecided Agree Strongly agree

Chent Initials:	9
ID:-	
Date:	9

PCL-5 (Caregiver Intake: English)

Instructions: These questions ask about very stressful experiences and how they might be affecting you.

1	Have you seen someone get seriously hurt, killed, or die suddenly?	Y	N
2	Have you been seriously hurt or injured by somebody else?	Y	N
3	Have you been forced or made to have unwanted sexual contact?	Y	N
4	Have you experienced any other very stressful or life threatening event?	Y	N

<u>Instructions</u>: Below is a list of problems that people sometimes have in response to a very stressful experience. Please read each problem carefully and then circle one of the numbers to the right to indicate how much you have been bothered by that problem in the past month.

in the past month, how much were you bothered by:	Not at all	A little bit	Moderately	Quite a bit	Extremely
Repeated, disturbing, and unwanted memories of the stressful experience?	0	1	2	3	4
2. Repeated, disturbing dreams of the stressful experience?	0	1	2	3	4
3. Suddenly feeling or acting as if the stressful experience were actually happening again (as if you were actually back there reliving It)?	0	1	2	3	4
4. Feeling very upset when something reminded you of the stressful experience?	0	1	2	3	4
5. Having strong physical reactions when something reminded you of the stressful experience (for example, heart pounding, trouble breathing, sweating)?	0	1	2	3	4
6. Avoiding memories, thoughts, or feelings related to the stressful experience?	0	1	2	3	4
7. Avoiding external reminders of the stressful experience (for example, people, places, conversations, activities, objects, or situations)?	0	1	2	3	4
8. Trouble remembering important parts of the stressful experience?	0	1	2	3	4
9. Having strong negative beliefs about yourself, other people, or the world (for example, having thoughts such as: I am bad, there is something seriously wrong with me, no one can be trusted, the world is completelydangerous)?	0	1	2	3	4
10. Blaming yourself or someone else for the stressful experience or what happened after it?	0	1	2	3	4
11. Having strong negative feelings such as fear, horror, anger, guilt, or shame?	0	1	2	3	4
12. Loss of interest in activities that you used to enjoy?	0	1	2	3	4
13. Feeling distant or cut off from other people?	0	1	2	3	4

PCL-5 Intake Page 2

14. Trouble experiencing positive feelings (for example, being unable to feel happiness or have loving feelings for people close to you)?	0	1	2	3	4
15. Irritable behavior, angry outbursts, or acting aggressively?	0	1	2	3	4
16. Taking too many risks or doing things that could cause you harm?	0	1	2	3	4
17. Being "super alert" or watchful or on guard?	0	1	2	3	4
18. Feeling jumpy or easily startled?	0	1	2	3	4
19. Having difficulty concentrating?	0	1	2	3	4
20. Trouble failing or staying asleep?	0	1	2	3	4

PCL-5 (8/14/2013) Weathers, Litz, Keane, Palmieri, Marx, & Schnurr -- National Center for PTS

PCL-5 Caregiver Intake Scale

Extremely Quite a bit Moderately A little bit Not at all

Client Initials:	1
ID:	9
Date:	9

PCL-5 Periodic/Discharge (Caregiver: English)

<u>Instructions</u>: Below is a list of problems that people sometimes have in response to a very stressful experience. Please read each problem carefully and then circle one of the numbers to the right to indicate how much you have been bothered by that problem in the past month.

In the past month, how much were you bothered by:	Not at all	A littie bit	Moderately	Quite a bit	Extrem ly
Repeated, disturbing, and unwanted memories of the stressful experience?	0	1	2	3	4
2. Repeated, disturbing dreams of the stressful experience?	0	1	2	3	4
3. Suddenly feeling or acting as if the stressful experience were actually happening again (as if you were actually back there reliving it)?	0	1	2	3	4
4. Feeling very upset when something reminded you of the stressful experience?	0	1	2	3	4
5. Having strong physical reactions when something reminded you of the stressful experience (for example, heart pounding, trouble breathing, sweating)?	0	1	2	3	4
6. Avoiding memories, thoughts, or feelings related to the stressful experience?	0	1	2	3	4
7. Avoiding external reminders of the stressful experience (for example, people, places, conversations, activities, objects, or situations)?	0	1	2	3	4
B. Trouble remembering important parts of the stressful experience?	0	1	2	3	4
9. Having strong negative beliefs about yourself, other people, or the world (for example, having thoughts such as: I am bad, there is something seriously wrong with me, no one can be trusted, the world is completely dangerous)?	0	1	2	3	4
10. Blaming yourself or someone else for the stressful experience or what happened after it?	0	1	2	3	4
11. Having strong negative feelings such as fear, horror, anger, guilt, or shame?	0	1	2	3	4
12. Loss of interest in activities that you used to enjoy?	0	1	2	3	4
13. Feeling distant or cut off from other people?	0	1	2	3	4
14. Trouble experiencing positive feelings (for example, being unable to feel happiness or have loving feelings for people close to you)?	0	1	2	3	4
5. Irritable behavior, angry outbursts, or acting aggressively?	0	1	2	3	4
16. Taking too many risks or doing things that could cause you harm?	0	1	2	3	4
17. Being "super alert" or watchful or on guard?	0	1	2	3	4
8. Feeling jumpy or easily startled?	0	1	2	3	4
9. Having difficulty concentrating?	0	1	2	3	4
20. Trouble falling or staying asleep?	0	1	2	3	4

PCL-5 Caregiver Periodic/Discharge Scale

Extremely Quite a bit Moderately A little bit Not at

CPP Monthly Session Form

VALIDATION REQUIREMENTS AND SYMBOLS EXPLAINED

! This symbol means the field is one of the minimum fields that must be filled out to save the record. No data will be saved unless these fields are completed.

This symbol means the field is a required field in order to save the record as completed. Although you can save the record, the system does not consider the record to be completed unless ALL of these fields are completed.

Data Entry Person: Greyed-out fields are pulled in from the completed Client Face Sheet-Intake, so you won't have to enter them again here

			Direc	ct Service Provi	id	er User Informa	tion			
Clir	ician User ID:									
Clir	ician First Name:				-	linician Last lame:				
Org	ganization Name:				s	ite Name:				
Child In						rmation				
Firs	t Initial of First Name:	First Initial of Last Name:					Date of Birth:			
Child Identification Codes										
_	ency-assigned Client ID mber (not PHI):					SDCRS Client ID lumber:				
CSS	D Client ID Number:			-	SSD Case lumber:					
DCI	Case ID:					OCF Person Link O:				
				Session I	nf	ormation				
	al Number of Visits this nth:	of No-Show		Appointments			Total Number of Visits this month conducted via telehealth:			
wit	of the total time spent h the child ONLY during nonth:				Т	he total time spent fo	or these thre	ee % questions sl	nould equal 100%	
wit	f the total time spent h the caregiver ONLY ing this month:				The total time spent for these three % questions should equal 100					
% of the total time spent with the child and caregiver TOGETHER during this month:					The total time spent for these three % questions should equal 100%					
Pha	se of Treatment									
	Foundational	П	Core Interve	ntion		Termination		Completed Termi	nation	

Activities										
		Convey Hope	_	Develop Empathic Relationship with Family Members	_	Enhance Safety				
	Strengthen Family Relationships: Promote Emotional Reciprocity		_	Coordinate Care		Strengthen Dyadic Affect Regulation Capacities				
Please check activities/CPP objectives focused on this month:	0	Strengthen Dyadic Body- Based Regulation	0	Support Child's Relationship with Other Important Caregivers	0	Enhance Understanding of the Meaning of Behavior				
	0	Support Child in Returning to a Normal Developmental Trajectory	_	Normalize the Traumatic Response	0	Support Dyad in Acknowledging the Impact of Trauma				
	_	Help Dyad Differentiate Between Then and Now		Help Dyad Put the Traumatic Experience in Perspective						
Collaboration										
During this month, did you	П	DCF Worker		Probation officer		Physician				
communicate with the child's:		School		Other						
Collaboration Notes:										
Functioning										
	О	Very much improved since the initiation of treatment		Much Improved	О	Minimally improved				
Compared to the child's condition at the start of CPP, this child's condition is: (CGI-I)	No change from baseline (the initiation of treatment)		_	Minimally worse	_	Much worse				
ans and a condition is: (cor i)		Very much worse since the initiation of treatment								
		Session Fid	eli	ty Checklist						
Session Structure										
Prior to how many sessions		None		Some		ALL				
this month did you prepare materials or a session plan?	П	A few	_	Most						
During how many sessions this month was homework		None		Some		ALL				
assigned or reviewed?		A few		Most						
During how many sessions		None		Some		ALL				
this month were COWS saved for the end of the session?	П	A few	_	Most						
During how many sessions		None		Some		ALL				
this month did the child and/or caregiver practice/demonstrate skill(s) in session (behavior rehearsal)?		A few	0	Most						





Discharge Facesheet

! This symbol means the field is one of the minimum fields that must be filled out to save the record. No data will be saved unless these fields are completed.

This symbol means the field is a required field in order to save the record as completed. Although you can save the record, the system does not consider the record to be completed unless ALL of these fields are completed.

Data Entry Person: Greyed-out fields are pulled in from the completed Client Face Sheet-Intake, so you won't have to enter them again here												
Direct Service Provider User Information												
Clinician First Name: ! Clinician Last Name: !												
Child Information												
Child First Initial: !					Chi	ld Last Initial :						
Child Identification Codes												
Which EBP?		ARC		CBITS	П	Bounce Back		СРР				
Discharge Information												
Discharge Date: */		/	/			1			ı			
CGI: Considering your experience, how severe are the child's emotional, behavioral, and/or cognitive concerns at the time of discharge? (circle one):* Discharge Reason: *	Normal Slightly Severe Mildly Severe Moderately Severe Markedly Severe Very Severe Among the most severe symptoms that any child may experience Successfully completed selected EBP Model requirements-no more treatment needed Successfully completed selected EBP Model requirements-continue with other treatment					CGI: Compared to the child's condition at intake, this child's condition is (circle one): * Referred for other EBP (outpatient) within agency Referred for other non-EBP (outpatient) within agency				Referred to other agency		
	Oth			nued treatment		Referred to higher level of care				needed		
	Oth	er (specify)		System Inv	olve	ement						
Child/Family involved with DCF? *				Jystem mv		Yes				No		
If child / family is involved with DC	F, pl	ease com	plet	e ALL of the fol	<u>. </u>							
DCF Case ID: (if available)			•		DCF Person Link ID: (if available)							
DCF Status:	О	Child Prot	tectiv	e Services – In-		Family with Service (FWSN) In-Home	Nee	ds –		Not DCF – On Probation		
DCF Regional Office:	П	Child Prot Home	tectiv	e Services – Out of		Family with Service (FWSN) Out of Hom		ds		Not DCF – Other Court Involved		





Discharge Facesheet

	П	Dual Commitment (JJ and Child Protective Services)		Juvenile Justice (delinquency) commitment		Termination of Parental Rights
		Family Assessment Response		Not DCF	П	Voluntary Services Program
Youth involved with Juvenile Justice (JJ) System? *				Yes		No
If youth is involved with JJ, please complete ALL of the following questions:						
CSSD Client ID: (if available)			cs	SD Case ID: (if available)		
CSSD Case Type:				Delinquency	П	Family with Service Needs (Status Offense)
		Administrative Supervision		Juvenile probation		Restore Probation
CSSD Case Status:		Extended Probation		Non-Judicial FWSN Family Service Agreement	п	Suspended Order
C33b Case Status.	□	Interim Orders		Non-Judicial Supervision (NJS)		Waived PDS - Probation
		Judicial FWSN Supervision		Non-Judicial Supervision Agreement		
Court District:						
Court Handling Decision:				Judicial	П	Non-Judicial
Treatment Information: School						
Since the start of EBP treatment						
Child's school attendance: *	О	Good (few or no days missed)		No School Attendance: Child Too Young for School		No School Attendance: Other
		Fair (several days missed)		No School Attendance: Child Suspended/Expelled from School		
		Poor (many days missed)		No School Attendance: Child Dropped Out of School		
Suspended or expelled: *				Yes		No
IEP: * Does the child have an Individual Education Plan (special education)?				Yes		No
Treatment Information: Legal						
Since the start of EBP treatment						
Arrested: * Has the child been arrested since start of treatment?				Yes		No
Detained or incarcerated: * Has the child been detained or incarcerated since start of treatment?				Yes	О	No
Treatment Information: Medical						
Since the start of EBP treatment						
Alcohol and/or drugs problems: *				Yes		No
Evaluated in ER/ED for psychiatric issues: *				Yes	П	No
Certified medically complex: *				Yes		No

Rev 6/30/2020